(Cancelled) 68.

(Cancelled) 69.

(Currently Amended) 70. A compound of Formula I Compound of claim 69:

$$R_1$$
 $R_2$ 
 $R_3$ 
 $R_1$ 
 $R_2$ 
 $R_3$ 
 $R_4$ 
 $R_8$ 
 $R_9$ 
 $R_{10}$ 
 $R_{11}$ 
 $R_{10}$ 
 $R_{11}$ 
 $R_{10}$ 

or a pharmaceutically acceptable salt thereof, wherein;

n is 1 or 2;

 $R_1$  is haloalkyl or haloalkoxyalkyl, with the proviso that  $R_1$  is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of said three groups bonded to the hydroxy-substituted carbon to which  $R_1$  and  $R_2$  are attached in radical la:

$$\begin{array}{c|c} & & & & \\ & & & \\ \hline & & & \\ R_1 & & & \\ \hline & & & \\ R_2 & & & \\ \hline & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\$$

which radical la is a in said fragment of the Formula I and with the further proviso that said haloalkyl has two or more halo substituents;

R<sub>2</sub> is hydrido;

R<sub>3</sub> is hydrido;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or halo;

R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, R<sub>10</sub>, R<sub>11</sub>, and R<sub>12</sub> are independently selected from the group consisting of hydrido, perhaloaryloxy, alkanoylakyl, alkanoylakoxy, alkanoyloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkoxy, alkoxycarbonylalkenyloxy, aralkanoylalkoxy, aralkenoyl, Nalkylcarboxamido, N-haloalkylcarboxamido, N-cycloalkylcarboxamido, Narylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, carboxy, heteroaralkylthio, heteroaralkoxy, cycloalkylamino, acylalkyl, acylalkoxy, aroylalkoxy, heterocyclyloxy, aralkylaryl, aralkyl, aralkenyl, aralkynyl, hterocyclyl, haloalkylthio, alkanoyloxy, alkoxy, alkoxyalkyl, cycloalkoxy, cycloalkylalkoxy, hydroxy, amino, thio, nitro, alkylamino, alkylthio, arylamino, aralkylamino, arylthio, arylthioalkyl, alkylsulfonyl, alkylsulfonamido, monoarylamidosulfonyl, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, heterocyclylsulfonyl, heterocyclylthio, alkanoyl, alkenoyl, aroyl, hteroaroyl, aralkanoyl, hteroaralkanoyl, haloalkanoyl, alkyl, alkenyl, alkynyl, alkenyloxy, alkylenedioy, haloalylenedioxy, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, hydroxyalkyl, aryl, alryloxy, aralkoxy, saturated heterocyclcyl, heteroaryl, heteroaryloxy, heteroaryloxyalkyl, heteroaralkyl, arylakenyl, carboalkoxy, alkoxycarboxamido, alkylamidocarbonylamido, arylamidocarbonylamido, carboalkoxyalkyl, carboalkoxyalkenyl, carboxamido, carboxamidoalkyl, and cyano;

with the proviso that at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido and with the further proviso that at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.

(Original) 71. Compound of Claim 70 or a pharmaceutically acceptable salt thereof, wherein;

n is 1:

R<sub>1</sub> is selected from the group consisting of trifluoromethyl,

1,1,2,2-tetrafluoroethoxymethyl, trifluoromethoxymethyl, difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R<sub>2</sub> is hydrido;

R<sub>3</sub> is hydrido;

5

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or fluoro;

R<sub>5</sub> and R<sub>10</sub> are independently selected from the group consisting of

- 4-aminophenoxy, benzyl, benzyl, benzyloxy, 5-bromo-2-fluorophenoxy,
- 4-bromo-3-fluorophenoxy, 4-bromo-2-nitrophenoxy, 3-bromobenzyloxy,
- 4-bromobenzyloxy, 4-bromophenoxy, 5-bromopyrid-2-yloxy,
- 10 4-butoxyphenoxy, chloro, 3-chlorobenzyl, 2-chlorophenoxy,
  - 4-chlorophenoxy, 4-chloro-3-ethylphenoxy, 3-chloro-4-fluorobenzyl,
  - 3-chloro-4-fluorophenyl, 3-chloro-2-fluorobenzyloxy, 3-chlorobenzyloxy,
  - 4-chlorobenzyloxy, 4-chloro-3-methylphenoxy, 2-chloro-4-fluorophenoxy,
  - 4-chloro-2-fluorophenoxy, 4-chlorophenoxy, 3-chloro-4-ethylphenoxy,
- 3-chloro-4-methylphenoxy, 3-chloro-4-fluorophenoxy,
  - 4-chloro-3-fluorophenoxy, 4-chlorophenylamino, 5-chloropyrid-3-yloxy,
  - 2-cyanopyrid-3-yloxy, 4-cyanophenoxy, cyclobutoxy, cyclobutyl, cyclohexoxy, cyclohexylmethoxy, cyclopentoxy, cyclopentyl, cyclopentylcarbonyl,
  - cyclopropyl, cyclopropylmethoxy, cyclopropoxy,
- 20 2,3-dichlorophenoxy, 2,4-dichlorophenoxy, 2,4-dichlorophenyl,
  - 3,5-dichlorophenyl, 3,5-dichlorobenzyl, 3,4-dichlorophenoxy,
  - 3,4-difluorophenoxy, 2,3-difluorobenzyloxy, 2,4-difluorobenzyloxy,
  - 3,4-difluorobenzyloxy, 2,5-difluorobenzyloxy, difluoromethoxy,
  - 3,5-difluorophenoxy, 3,4-difluorophenyl, 3,5-difluorobenzyloxy,
- 25 4-difluoromethoxybenzyloxy, 2,3-difluorophenoxy, 2,4-difluorophenoxy,
  - 2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,
  - 3,5-dimethylphenoxy, 3,4-dimethylphenoxy, 3,4-dimethylbenzyl,
  - 3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 2,2-dimethylpropoxy,
  - 1,3-dioxan-2-yl, 1,4-dioxan-2-yl, 1,3-dioxolan-2-yl, ethoxy,
- 30 4-ethoxyphenoxy, 4-ethylbenzyloxy, 3-ethylphenoxy, 4-ethylaminophenoxy,
  - 3-ethyl-5-methylphenoxy, fluoro, 4-fluoro-3-methylbenzyl,
  - 4-fluoro-3-methylphenyl, 4-fluoro-3-methylbenzoyl, 4-fluorobenzyloxy,
  - 2-fluoro-3-methylphenoxy, 3-fluoro-4-methylphenoxy,

- 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
- 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
- 4-fluoro-2-trifluoromethylbenzyloxy, 4-fluoro-3-trifluoromethylbenzyloxy,
- 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
- 5 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
  - 4-fluoropyrid-2-yloxy, 2-furyl, 3-furyl, heptafluoropyropyl,
  - 1.1.1.3.3.3-hexafluoropropyl, 2-hydroxy-3,3,3-trifluoropropoxy,
  - 3-iodobenzyloxy, isobutyl, isobutylamino, isobutoxy, 3-isoxazolyl,
  - 4-isoxazolyl, 5-isoxazolyl, isopropoxy, isopropyl, 4-isopropylbenzyloxy,
- 3-isopropylphenoxy, 4-isopropylphenoxy, isopropylthio,
  - 4-isopropyl-3-methylphenoxy, 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl,
  - 3-methoxybenzyl, 4-methoxycarbonylbutoxy,
  - 3-methoxycarbonylprop-2-enyloxy, 4-methoxyphenyl,
  - 3-methoxyphenylamino, 4-methoxyphenylamino, 3-methylbenzyloxy,
- 4-methylbenzyloxy, 3-methylphenoxy, 3-methyl-4-methylthiophenoxy,
  - 4-methylphenoxy, 1-methylpropoxy, 2-methylpyrid-5-yloxy,
  - 4-methylthiophenoxy, 2-naphthyloxy, 2-nitrophenoxy, 4-nitrophenoxy,
  - 3-nitrophenyl, 4-nitrophenylthio, 2-oxazolyl, 4-oxazolyl, 5-oxazolyl,
  - pentafluoroethyl, pentafluoroethylthio, 2,2,3,3,3-pentafluoropropyl,
- 20 1,1,3,3,3-pentafluoropropyl, 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino,
  - 1-phenylethoxy, phenylsulfonyl, 4-propanoylphenoxy, propoxy,
  - 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, sec-butyl,
  - 4-sec-butylphenoxy, tert -butoxy, 3-tert -butylphenoxy, 4-tert -butylphenoxy,
  - 1,1,2,2-tetrafluoroethoxy, tetrahydrofuran-2-yl,
- 25 2-(5,6,7,8-tetrahydronaphthyloxy), thiazol-2-yl, thiazol-4-yl, thiazol-5-yl,
  - thiophen-2-yl, 2,3,5-trifluorobenzyloxy, 2,2,2-trifluoroethoxy,
  - 2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
  - 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
  - 3-trifluoromethoxyphenoxy, 4-trifluoromethoxyphenoxy, trifluoromethyl,
- 30 3-trifluoromethylbenzyloxy, 4-trifluoromethylbenzyloxy,
  - 2,4-bis-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
  - 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
  - 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy,
  - 3-trifluoromethylphenyl, 3-trifluoromethylthiobenzyloxy,
- 35 4-trifluoromethylthiobenzyloxy, 2,3,4-trifluorophenoxy,
- 2,3,4-trifluorophenyl, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,

3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,

3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,

3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

R<sub>6</sub> and R<sub>11</sub> are independently selected from the group consisting of chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, trifluoromethyl, and trifluoromethoxy;

 $R_7$  and  $R_{12}$  are independently selected from the group consisting of hydrido, fluoro, and trifluoromethyl.

10

(original) 72. Compound of Claim 71 or a pharmaceutically acceptable salt thereof, wherein;

n is 1;

R<sub>1</sub> is selected from the group consisting of trifluoromethyl,

difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R<sub>2</sub> is hydrido;

R<sub>3</sub> is hydrido;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or fluoro;

R<sub>5</sub> and R<sub>10</sub> are independently selected from the group consisting of

- 20 benzyloxy, 5-bromo-2-fluorophenoxy, 4-bromo-3-fluorophenoxy,
  - 3-bromobenzyloxy, 4-bromophenoxy, 4-butoxyphenoxy, 3-chlorobenzyloxy,
  - 2-chlorophenoxy, 4-chloro-3-ethylphenoxy, 4-chloro-3-methylphenoxy,
  - 2-chloro-4-fluorophenoxy, 4-chloro-2-fluorophenoxy, 4-chlorophenoxy,
  - 3-chloro-4-ethylphenoxy, 3-chloro-4-methylphenoxy,
- 25 3-chloro-4-fluorophenoxy, 4-chloro-3-fluorophenoxy,
  - 4-chlorophenylamino, 5-chloropyrid-3-yloxy, cyclobutoxy, cyclobutyl, cyclohexylmethoxy, cyclopentoxy, cyclopentyl, cyclopentylcarbonyl,
  - cyclopropylmethoxy, 2,3-dichlorophenoxy, 2,4-dichlorophenoxy,
  - 2,4-dichlorophenyl, 3,5-dichlorophenyl, 3,5-dichlorobenzyl,
- 30 3,4-dichlorophenoxy, 3,4-difluorophenoxy, 2,3-difluorobenzyloxy,
  - 3,5-difluorobenzyloxy, difluoromethoxy, 3,5-difluorophenoxy,

- 3,4-difluorophenyl, 2,3-difluorophenoxy, 2,4-difluorophenoxy,
- 2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,
- 3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 3,5-dimethylphenoxy,
- 3,4-dimethylphenoxy, 1,3-dioxolan-2-yl, 4-ethylbenzyloxy,
- 5 3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy,
  - 4-fluoro-3-methylbenzyl, 4-fluorobenzyloxy, 2-fluoro-3-methylphenoxy,
  - 3-fluoro-4-methylphenoxy, 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
  - 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
  - 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
- 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
  - 2-furyl, 3-furyl, heptafluoropropyl, 1,1,1,3,3,3-hexafluoropropyl,
  - 2-hydroxy-3,3,3-trifluoropropoxy, isobutoxy, isobutyl, 3-isoxazolyl,
  - 4-isoxazolyl, 5-isoxazolyl, isopropoxy, 4-isopropylbenzyloxy,
  - 3-isopropylphenoxy, isopropylthio, 4-isopropyl-3-methylphenoxy,
- 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl, 3-methoxybenzyl,
  - 4-methoxyphenylamino, 3-methylbenzyloxy, 4-methylbenxyloxy,
  - 3-methylphenoxy, 3-methyl-4-methylthiophenoxy, 4-methylphenoxy,
  - 1-methylpropoxy, 2-methylpyrid-5-yloxy, 4-methylthiophenoxy,
  - 2-naphthyloxy, 2-nitrophenoxy, 4-nitrophenoxy, 3-nitrophenyl, 2-oxazolyl,
- 20 4-oxazolyl, 5-oxazolyl, pentafluoroethyl, pentafluoroethylthio,
  - 2,2,3,3,3-pentafluoropropyl, 1,1,3,3,3-pentafluoropropyl,
  - 1.1.2.23-pentafluoropropyl, phenoxy, phenylamino, 1-phenylethoxy,
  - 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, tert-butoxy,
  - 3-tert-butylphenoxy, 4-tert-butylphenoxy, 1,1,2,2-tetrafluoroethoxy,
- 25 tetrahydrofuran-2-yl, 2-(5,6,7,8-tetrahydronaphthyloxy), thiazol-2-yl,
  - thiazol-4-yl, thiazol-5-yl, thiophen-2-yl, 2,2,2-trifluoroethoxy,
  - 2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
  - 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
  - 4-trifluoromethoxyphenoxy, 3-trifluoromethoxyphenoxy, trifluoromethyl,
- 30 3-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
  - 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
  - 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy, 3-trifluoromethylphenyl,
  - 2,3,4-trifluorophenoxy, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,
  - 3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,
- 35 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,
  - 3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

 $R_6$  and  $R_{11}$  are independently selected from the group consisting of chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, and trifluoromethyl;

R<sub>7</sub> and R<sub>12</sub> are independently selected from the group consisting of hydrido, fluoro, and trifluoromethyl.

## (original) 73. Compound of Claim 70 of Formula II:

or a pharmaceutically acceptable salt thereof, wherein;

R<sub>1</sub> is haloalkyl;

 $R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently hydrido or halo;

R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, R<sub>10</sub>, R<sub>11</sub>, and R<sub>12</sub> are independently selected from the group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, aralkanoylalkoxy, aralkenoyl, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, heteroaralkoxy, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylthio, arylamino, arylthio, arylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkyl, cycloalkyl, haloalkyl, haloalkoxy, hydroxyhaloalkyl,

hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

with the proviso that at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido and with the further proviso that at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.

- (original) 74. Compound of Claim 73 or a pharmaceutically acceptable salt thereof, wherein;
- 10  $R_1$  is trifluoromethyl;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or fluoro;

R<sub>5</sub> is selected from the group consisting of 5-bromo-2-fluorophenoxy,

- 4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,
- 3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,
- 15 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,
  - 4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,
  - 3-pentafluoroethylphenoxy, 3-tert -butylphenoxy,
  - 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyloxy),
  - 3-trifluoromethoxybenzyloxy,3-trifluoromethoxyphenoxy,
- 20 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R<sub>10</sub> is selected from the group consisting of cyclopentyl, 1,1,2,2-tetrafluoroethoxy, 2-furyl, 1,1-bis-trifluoromethyl-1-hydroxymethyl, pentafluoroethyl, trifluoromethoxy, trifluoromethyl, and trifluoromethylthio;

R<sub>6</sub>, R<sub>7</sub>, R<sub>11</sub>, and R<sub>12</sub> are independently hydrido or fluoro.

25

(original) 75. Compound of Claim 74 or a pharmaceutically acceptable salt thereof, wherein;

R<sub>1</sub> is trifluoromethyl;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or fluoro;

R<sub>5</sub> is selected from the group consisting of 5-bromo-2-fluorophenoxy,

- 4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,
- 3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,
- 5 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,
  - 4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,
  - 3-pentafluoroethylphenoxy, 3-tert-butylphenoxy,
  - 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyloxy),
  - 3-trifluoromethoxybenzyloxy,3-trifluoromethoxyphenoxy,
- 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R<sub>10</sub> is selected from the group consisting of 1,1,2,2-tetrafluoroethoxy, pentafluoroethyl, and trifluoromethyl;

R<sub>6</sub>, R<sub>7</sub>, R<sub>11</sub>, and R<sub>12</sub> are independently hydrido or fluoro.

(original) 76. Compound of Claim 68 or a pharmaceutically acceptable salt thereof, wherein said compound is a compound of Formula III:

$$F_3C$$
 $R_{10}$ 
 $R_{10}$ 
 $R_{10}$ 

wherein  $R_5$  and  $R_{10}$  are selected to form a compound selected from the group consisting of;

R<sub>5</sub> is 3-isopropylphenoxy and R<sub>10</sub> is pentafluoroethyl;

 $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is pentafluoroethyl;

5

10

15

20

 $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-fluorophenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-methylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-ethylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-t-butylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-aminophenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 2-nitrophenoxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

R<sub>5</sub> is 3,5-difluorobenzyloxy and R<sub>10</sub> is pentafluoroethyl;

R<sub>5</sub> is cyclohexylmethyleneoxy and R<sub>10</sub> is pentafluoroethyl;

R<sub>5</sub> is benzyloxy and R<sub>10</sub> is pentafluoroethyl;

 $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is pentafluoroethyl;

R<sub>5</sub> is 4-ethylbenzyloxy and R<sub>10</sub> is pentafluoroethyl;

10  $R_5$  is isopropoxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is pentafluoroethyl;

R5 is isopropylthio and R10 is pentafluoroethyl;

 $R_5$  is cyclopentoxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is pentafluoroethyl;

15 R<sub>5</sub> is 3-trifluoromethylthiobenzyloxy and R<sub>10</sub> is pentafluoroethyl;

 $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

20 R<sub>5</sub> is 1-phenylethoxy and R<sub>10</sub> is pentafluoroethyl;

R<sub>5</sub> is 4-fluoro-3-methylbenzoyl and R<sub>10</sub> is pentafluoroethyl;

 $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-nitrophenylthio and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-fluorophenoxy and  $R_{10}$  is trifluoromethyl; R<sub>5</sub> is 4-methylphenoxy and R<sub>10</sub> is trifluoromethyl;  $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-ethylphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-t-butylphenoxy and  $R_{10}$  is trifluoromethyl; R<sub>5</sub> is 4-fluoro-3-methylphenoxy and R<sub>10</sub> is trifluoromethyl;  $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is trifluoromethyl;

10

15

 $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-aminophenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 2-nitrophenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is benzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is isopropoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is trifluoromethyl;  $R_5$  is isopropylthio and  $R_{10}$  is trifluoromethyl;  $R_5$  is cyclopentoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is trifluoromethyl;

10

15

 $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 1-phenylethoxy and  $R_{10}$  is trifluoromethyl; R<sub>5</sub> is 4-fluoro-3-methylbenzoyl and R<sub>10</sub> is trifluoromethyl;  $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-nitrophenylthio and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 4-fluorophenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 4-methylphenoxy and  $R_{10}$  is trifluoromethoxy; R<sub>5</sub> is 2-fluoro-5-bromophenoxy and R<sub>10</sub> is trifluoromethoxy;  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-ethylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-t-butylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is trifluoromethoxy;

10

15

 $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy) phenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 4-aminophenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 2-nitrophenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is trifluoromethoxy; R<sub>5</sub> is cyclohexylmethyleneoxy and R<sub>10</sub> is trifluoromethoxy;  $R_5$  is benzyloxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is isopropoxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is trifluoromethoxy;

10

15

 $R_5$  is isopropylthio and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is cyclopentoxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;

R<sub>5</sub> is 4-isopropylbenzyloxy and R<sub>10</sub> is trifluoromethoxy;

 $R_5$  is 1-phenylethoxy and  $R_{10}$  is trifluoromethoxy;

R<sub>5</sub> is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 4-nitrophenylthio and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 2,3-dichlorophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

20

 $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-fluorophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-methylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 2-fluoro-5-bromophenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 4-chloro-3-ethylphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-ethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3,5-dimethylphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3-t-butylphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 4-fluoro-3-methylphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3,4-dichlorophenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 5,6,7,8-tetrahydro-2-naphthoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;  $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;  $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-aminophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

15  $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

10

20

 $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 2-nitrophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3,5-difluorobenzyloxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is benzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is isopropoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is isopropylthio and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is cyclopentoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3,4-dimethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_{5}$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 4-isopropylbenzyloxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 1-phenylethoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy; and

 $R_5$  is 4-nitrophenylthio and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy.

(original) 77. A pharmaceutical composition comprising a therapeutically effective amount of a compound or a pharmaceutically acceptable salt thereof, together with a pharmaceutically acceptable carrier, said compound being of Formula I:

5 wherein;

15

n is 1 or 2;

 $R_1$  is haloalkyl or haloalkoxyalkyl with the proviso that  $R_1$  is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of three groups bonded to the hydroxy-substituted carbon to which  $R_1$  and  $R_2$  are

10 attached in radical Ia:

which radical Ia is a fragment of Formula I;

R<sub>2</sub> is selected from the group consisting of hydrido, aryl, aralkyl, alkyl, alkenyl, alkenyloxyalkyl, haloalkyl, haloalkenyl, halocycloalkyl, haloalkoxyalkyl, haloalkoxyalkyl, halocycloalkoxyalkyl,

perhaloaryl, perhaloaralkyl, perhaloaryloxyalkyl, heteroaryl, dicyanoalkyl, and carboalkoxycyanoalkyl;

R<sub>3</sub> is selected from the group consisting of hydrido, hydroxy, cyano, aryl, aralkyl, acyl, alkoxy, alkyl, alkenyl, alkoxyalkyl, heteroaryl, alkenyloxyalkyl, haloalkenyl, haloalkenyl, haloalkoxy, haloalkoxyalkyl, haloalkenyloxyalkyl, monocyanoalkyl, dicyanoalkyl, carboxamido, and carboxamidoalkyl;

5

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently selected from the group consisting of hydrido, halo, haloalkyl, and alkyl;

R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, R<sub>10</sub>, R<sub>11</sub>, and R<sub>12</sub> are independently selected from the 10 group consisting of hydrido, perhaloaryloxy, alkanoylalkyl, alkanoylalkoxy, alkanoyloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkoxy, alkoxycarbonylalkenyloxy, aralkanoylalkoxy, aralkenoyl, N-alkylcarboxamido, N-haloalkylcarboxamido, N-cycloalkylcarboxamido, 15 N-arylearboxamidoalkoxy, cycloalkylearbonyl, cyanoalkoxy, heterocyclylcarbonyl, carboxy, heteroaralkylthio, heteroaralkoxy, cycloalkylamino, acylalkyl, acylalkoxy, aroylalkoxy, heterocyclyloxy, aralkylaryl, aralkyl, aralkenyl, aralkynyl, heterocyclyl, haloalkylthio, alkanoyloxy, alkoxy, alkoxyalkyl, cycloalkoxy, cycloalkylalkoxy, hydroxy, 20 amino, thio, nitro, alkylamino, alkylthio, arylamino, aralkylamino, arylthio, arylthioalkyl, alkylsulfonyl, alkylsulfonamido, monoarylamidosulfonyl. arylsulfonyl, heteroarylthio, heteroarylsulfonyl, heterocyclylsulfonyl, heterocyclylthio, alkanoyl, alkenoyl, aroyl, heteroaroyl, aralkanoyi, heteroaralkanoyl, haloalkanoyl, alkyl, alkenyl, alkynyl, alkenyloxy, 25 alkylenedioxy, haloalkylenedioxy, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, hydroxyalkyl, aryl, aryloxy, aralkoxy, saturated heterocyclyl, heteroaryl, heteroaryloxy, heteroaryloxyalkyl, heteroaralkyl, arylalkenyl, carboalkoxy, alkoxycarboxamido, alkylamidocarbonylamido, arylamidocarbonylamido, carboalkoxyalkyl, 30 carboalkoxyalkenyl, carboxamido, carboxamidoalkyl, and cyano;

R<sub>5</sub> and R<sub>6</sub> are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially

5

10

saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl are optionally substituted by one or more substituents selected from the group consisting of  $R_{10}$ ,  $R_{11}$ , and  $R_{12}$ ;

R<sub>10</sub> and R<sub>11</sub> are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl is optionally substituted by one or more substituents selected from the group consisting of R<sub>5</sub>, R<sub>6</sub>, and R<sub>7</sub>;

with the proviso that the groups  $R_5$  and  $R_6$  and the groups  $R_{10}$  and  $R_{11}$  are not simultaneously taken together to form two rings;

- with the further proviso that at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido or with the further proviso that at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.
- 20 (original) 78. The pharmaceutical composition of Claim 77, wherein said compound is of Formula I, wherein at least one of R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, and R<sub>8</sub> is not hydrido and at least one of R<sub>9</sub>, R<sub>10</sub>, R<sub>11</sub>, R<sub>12</sub>, and R<sub>13</sub> is not hydrido.
- 25 (original) 79. The pharmaceutical composition of Claim 78, wherein said compound is of Formula I, wherein;
  n is 1 or 2;

 $R_1$  is haloalkyl or haloalkoxyalkyl with the proviso that  $R_1$  is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of said three groups bonded to the hydroxy-substituted carbon to which  $R_1$  and  $R_2$  are attached in said fragment of the Formula I and with the further proviso that said haloalkyl has two or more halo substituents;

R<sub>2</sub> is hydrido;

5

20

R<sub>3</sub> is hydrido;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or halo;

R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, R<sub>10</sub>, R<sub>11</sub>, and R<sub>12</sub> are independently selected from the
group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkenyloxy, aralkanoylalkoxy, aralkanoylalkoxy, aralkanoylalkoxy, aralkenoyl, N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, heteroaralkoxy, heterocyclyloxy, aralkylaryl, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylamino, alkylthio, arylamino, arylthio, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, saturated heterocyclyl, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

with the proviso that at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido and with the further proviso that at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.

25 (original) 80. The pharmaceutical composition of Claim 79, wherein said compound is of Formula I, wherein;

n is 1;

R<sub>1</sub> is selected from the group consisting of trifluoromethyl, 1,1,2,2-tetrafluoroethoxymethyl, trifluoromethoxymethyl, difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R2 is hydrido;

R3 is hydrido;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or fluoro;

R<sub>5</sub> and R<sub>10</sub> are independently selected from the group consisting of

- 4-aminophenoxy, benzoyl, benzyl, benzyloxy, 5-bromo-2-fluorophenoxy,
- 4-bromo-3-fluorophenoxy, 4-bromo-2-nitrophenoxy, 3-bromobenzyloxy,
- 10 4-bromobenzyloxy, 4-bromophenoxy, 5-bromopyrid-2-yloxy,
  - 4-butoxyphenoxy, chloro, 3-chlorobenzyl, 2-chlorophenoxy,
  - 4-chlorophenoxy, 4-chloro-3-ethylphenoxy, 3-chloro-4-fluorobenzyl,
  - 3-chloro-4-fluorophenyl, 3-chloro-2-fluorobenzyloxy, 3-chlorobenzyloxy,
  - 4-chlorobenzyloxy, 4-chloro-3-methylphenoxy, 2-chloro-4-fluorophenoxy,
- 4-chloro-2-fluorophenoxy, 4-chlorophenoxy, 3-chloro-4-ethylphenoxy,
  - 3-chloro-4-methylphenoxy, 3-chloro-4-fluorophenoxy,
  - 4-chloro-3-fluorophenoxy, 4-chlorophenylamino, 5-chloropyrid-3-yloxy,
  - 2-cyanopyrid-3-yloxy, 4-cyanophenoxy, cyclobutoxy, cyclobutyl, cyclohexoxy, cyclohexylmethoxy, cyclopentoxy, cyclopentyl, cyclopentylcarbonyl,
- 20 cyclopropyl, cyclopropylmethoxy, cyclopropoxy, 2,3-dichlorophenoxy,
- 2,4-dichlorophenoxy, 2,4-dichlorophenyl, 3,5-dichlorophenyl,
  - 3,5-dichlorobenzyl, 3,4-dichlorophenoxy, 3,4-difluorophenoxy,
  - 2,3-difluorobenzyloxy, 2,4-difluorobenzyloxy, 3,4-difluorobenzyloxy,
  - 2,5-difluorobenzyloxy, difluoromethoxy, 3,5-difluorophenoxy,
- 25 3,4-difluorophenyl, 3,5-difluorobenzyloxy, 4-difluoromethoxybenzyloxy,
  - 2,3-difluorophenoxy, 2,4-difluorophenoxy, 2,5-difluorophenoxy,
  - 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy, 3,5-dimethylphenoxy,
  - 3,4-dimethylphenoxy, 3,4-dimethylbenzyl, 3,4-dimethylbenzyloxy,
  - 3,5-dimethylbenzyloxy, 2,2-dimethylpropoxy, 1,3-dioxan-2-yl, 1,4-dioxan-2-yl,
- 30 1,3-dioxolan-2-yl, ethoxy, 4-ethoxyphenoxy, 4-ethylbenzyloxy,
  - 3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy, fluoro,

- 4-fluoro-3-methylbenzyl, 4-fluoro-3-methylphenyl, 4-fluoro-3-methylbenzoyl,
- 4-fluorobenzyloxy, 2-fluoro-3-methylphenoxy, 3-fluoro-4-methylphenoxy,
- 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
- 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
- 5 4-fluoro-2-trifluoromethylbenzyloxy, 4-fluoro-3-trifluoromethylbenzyloxy,
  - 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
  - 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
  - 4-fluoropyrid-2-yloxy, 2-furyl, 3-furyl, heptafluoropropyl,
  - 1,1,1,3,3,3-hexafluoropropyl, 2-hydroxy-3,3,3-trifluoropropoxy,
- 3-iodobenzyloxy, isobutyl, isobutylamino, isobutoxy, 3-isoxazolyl,
  - 4-isoxazolyl, 5-isoxazolyl, isopropoxy, isopropyl, 4-isopropylbenzyloxy,
  - 3-isopropylphenoxy, 4-isopropylphenoxy, isopropylthio,
  - 4-isopropyl-3-methylphenoxy, 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl,
  - 3-methoxybenzyl, 4-methoxycarbonylbutoxy,
- 15 3-methoxycarbonylprop-2-enyloxy, 4-methoxyphenyl,
  - 3-methoxyphenylamino, 4-methoxyphenylamino, 3-methylbenzyloxy,
  - 4-methylbenzyloxy, 3-methylphenoxy, 3-methyl-4-methylthiophenoxy,
  - 4-methylphenoxy, 1-methylpropoxy, 2-methylpyrid-5-yloxy,
  - 4-methylthiophenoxy, 2-naphthyloxy, 2-nitrophenoxy, 4-nitrophenoxy,
  - 3-nitrophenyl, 4-nitrophenylthio, 2-oxazolyl, 4-oxazolyl, 5-oxazolyl,
    - pentafluoroethyl, pentafluoroethylthio, 2,2,3,3,3-pentafluoropropyl,
    - 1,1,3,3,3-pentafluoropropyl, 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino,
    - 1-phenylethoxy, phenylsulfonyl, 4-propanoylphenoxy, propoxy,
    - 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, sec-butyl,
  - 4-sec-butylphenoxy,tert-butoxy, 3-tert-butylphenoxy, 4-tert-butylphenoxy,
    - 1,1,2,2-tetrafluoroethoxy, tetrahydrofuran-2-yl,
    - 2-(5,6,7,8-tetrahydronaphthyloxy), thiazol-2-yl, thiazol-4-yl, thiazol-5-yl,
    - thiophen-2-yl, 2,3,5-trifluorobenzyloxy, 2,2,2-trifluoroethoxy,
    - 2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
  - 30 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
    - 3-trifluoromethoxyphenoxy, 4-trifluoromethoxyphenoxy, trifluoromethyl,
    - 3-trifluoromethylbenzyloxy, 4-trifluoromethylbenzyloxy,
    - 2,4-bis-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
    - 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
  - 35 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy,
    - 3-trifluoromethylphenyl, 3-trifluoromethylthiobenzyloxy,

- 4-trifluoromethylthiobenzyloxy, 2,3,4-trifluorophenoxy,
- 2,3,4-trifluorophenyl, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,
- 3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,
- 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,
- 5 3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

 $R_6$  and  $R_{11}$  are independently selected from the group consisting of chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, trifluoromethyl, and trifluoromethoxy;

R<sub>7</sub> and R<sub>12</sub> are independently selected from the group consisting of hydrido, fluoro, and trifluoromethyl.

(original) 81. The pharmaceutical composition of Claim 80, wherein said compound is of Formula I, wherein;

15 n is 1;

R<sub>1</sub> is selected from the group consisting of trifluoromethyl, difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R2 is hydrido;

R<sub>3</sub> is hydrido;

20 R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or fluoro;

R<sub>5</sub> and R<sub>10</sub> are independently selected from the group consisting of benzyloxy, 5-bromo-2-fluorophenoxy, 4-bromo-3-fluorophenoxy, 3-bromobenzyloxy, 4-bromophenoxy, 4-butoxyphenoxy, 3-chlorobenzyloxy, 2-chlorophenoxy, 4-chloro-3-ethylphenoxy, 4-chloro-3-methylphenoxy,

- 25 2-chloro-4-fluorophenoxy, 4-chloro-2-fluorophenoxy, 4-chlorophenoxy,
  - 3-chloro-4-ethylphenoxy, 3-chloro-4-methylphenoxy,
  - 3-chloro-4-fluorophenoxy, 4-chloro-3-fluorophenoxy,
  - 4-chlorophenylamino, 5-chloropyrid-3-yloxy, cyclobutoxy, cyclobutyl,
  - cyclohexylmethoxy, cyclopentoxy, cyclopentyl, cyclopentylcarbonyl,
- 30 cyclopropylmethoxy, 2,3-dichlorophenoxy, 2,4-dichlorophenoxy,
  - 2,4-dichlorophenyl, 3,5-dichlorophenyl, 3,5-dichlorobenzyl,

- 3,4-dichlorophenoxy, 3,4-difluorophenoxy, 2,3-difluorobenzyloxy,
- 3,5-difluorobenzyloxy, difluoromethoxy, 3,5-difluorophenoxy,
- 3,4-difluorophenyl, 2,3-difluorophenoxy, 2,4-difluorophenoxy,
- 2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,
- 5 3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 3,5-dimethylphenoxy,
  - 3.4-dimethylphenoxy, 1,3-dioxolan-2-yl, 4-ethylbenzyloxy,
  - 3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy,
  - 4-fluoro-3-methylbenzyl, 4-fluorobenzyloxy, 2-fluoro-3-methylphenoxy,
  - 3-fluoro-4-methylphenoxy, 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
- 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
- 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
  - 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
  - 2-furyl, 3-furyl, heptafluoropropyl, 1,1,1,3,3,3-hexafluoropropyl,
  - 2-hydroxy-3,3,3-trifluoropropoxy, isobutoxy, isobutyl, 3-isoxazolyl,
- 4-isoxazolyl, 5-isoxazolyl, isopropoxy, 4-isopropylbenzyloxy,
  - 3-isopropylphenoxy, isopropylthio, 4-isopropyl-3-methylphenoxy,
  - 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl, 3-methoxybenzyl,
  - 4-methoxyphenylamino, 3-methylbenzyloxy, 4-methylbenxyloxy,
  - 3-methylphenoxy, 3-methyl-4-methylthiophenoxy, 4-methylphenoxy,
- 20 1-methylpropoxy, 2-methylpyrid-5-yloxy, 4-methylthiophenoxy,
  - 2-naphthyloxy, 2-nitrophenoxy, 4-nitrophenoxy, 3-nitrophenyl, 2-oxazolyl,
  - 4-oxazolyl, 5-oxazolyl, pentafluoroethyl, pentafluoroethylthio,
  - 2,2,3,3,3-pentafluoropropyl, 1,1,3,3,3-pentafluoropropyl,
  - 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino, 1-phenylethoxy,
- 25 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, tert-butoxy,
  - 3-tert-butylphenoxy, 4-tert-butylphenoxy, 1,1,2,2-tetrafluoroethoxy,
  - tetrahydrofuran-2-yl, 2-(5,6,7,8-tetrahydronaphthyloxy), thiazol-2-yl,
  - thiazol-4-yl, thiazol-5-yl, thiophen-2-yl, 2,2,2-trifluoroethoxy,
  - 2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
- 30 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
  - 4-trifluoromethoxyphenoxy, 3-trifluoromethoxyphenoxy, trifluoromethyl,
  - 3-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
  - 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
  - 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy, 3-trifluoromethylphenyl,
- 2,3,4-trifluorophenoxy, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,
  - 3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,

3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy, 3-trifluoromethylthioenzyloxy, and trifluoromethylthio;

 $R_6$  and  $R_{11}$  are independently selected from the group consisting of chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, and trifluoromethyl;

 $m R_7$  and  $m R_{12}$  are independently selected from the group consisting of hydrido, fluoro, and trifluoromethyl.

10 (original) 82. The pharmaceutical composition of Claim 79, wherein said compound is of Formula II:

wherein;

20

5

 $R_1$  is haloalkyl;

15 R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or halo;

R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, R<sub>10</sub>, R<sub>11</sub>, and R<sub>12</sub> are independently selected from the group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, aralkanoylalkoxy, aralkenoyl, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, heteroaralkoxy, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy,

alkylthio, arylamino, arylthio, arylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

- with the proviso that at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido and with the further proviso that at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.
- 10 (original) 83. The pharmaceutical composition of Claim 82, wherein said compound is of Formula II, wherein;

R<sub>1</sub> is trifluoromethyl;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or fluoro;

R<sub>5</sub> is selected from the group consisting of 5-bromo-2-fluorophenoxy,

- 4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,
  - 3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,
  - 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,
  - 4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,
  - 3-pentafluoroethylphenoxy, 3-tert -butylphenoxy,
- 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyloxy),
  - ${\it 3-trifluoromethoxy benzy loxy,} {\it 3-trifluoromethoxy phenoxy,}$
  - 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

 $R_{10}$  is selected from the group consisting of cyclopentyl,

1,1,2,2-tetrafluoroethoxy, 2-furyl, 1,1-bis-trifluoromethyl-1-hydroxymethyl, pentafluoroethyl, trifluoromethoxy, trifluoromethyl, and trifluoromethylthio;

 $R_6$ ,  $R_7$ ,  $R_{11}$ , and  $R_{12}$  are independently hydrido or fluoro.

(original) 84. The pharmaceutical composition of Claim 83, wherein said compound is of Formula II, wherein;

R<sub>1</sub> is trifluoromethyl;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or fluoro;

5 R<sub>5</sub> is selected from the group consisting of 5-bromo-2-fluorophenoxy,

4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,

3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,

3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,

4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,

3-pentafluoroethylphenoxy, 3-tert -butylphenoxy,

3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyloxy),

3-trifluoromethoxybenzyloxy,3-trifluoromethoxyphenoxy,

3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

 $R_{10}$  is selected from the group consisting of 1,1,2,2-tetrafluoroethoxy,

15 pentafluoroethyl, and trifluoromethyl;

 $R_6$ ,  $R_7$ ,  $R_{11}$ , and  $R_{12}$  are independently hydrido or fluoro.

(original) 85. The pharmaceutical composition of Claim 77, wherein said 20 compound is a compound of Formula III:

$$F_3C$$
 $R_{10}$ 
 $R_{10}$ 
 $R_{10}$ 
 $R_{10}$ 

wherein  $R_5$  and  $R_{10}$  are selected to form a compound selected from the group consisting of;

 $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-fluorophenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-methylphenoxy and  $R_{10}$  is pentafluoroethyl; 5  $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-ethylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-t-butylphenoxy and  $R_{10}$  is pentafluoroethyl; 10  $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is pentafluoroethyl; 15  $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is pentafluoroethyl; R<sub>5</sub> is 3-(2-furyl)phenoxy and R<sub>10</sub> is pentafluoroethyl;  $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-aminophenoxy and  $R_{10}$  is pentafluoroethyl; 20  $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is pentafluoroethyl;

R<sub>5</sub> is 3-trifluoromethylphenoxy and R<sub>10</sub> is pentafluoroethyl;

 $R_5$  is 2-nitrophenoxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is benzyloxy and  $R_{10}$  is pentafluoroethyl;

5 .

20

 $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

R<sub>5</sub> is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

R<sub>5</sub> is isopropoxy and R<sub>10</sub> is pentafluoroethyl;

 $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is isopropylthio and  $R_{10}$  is pentafluoroethyl;

R<sub>5</sub> is cyclopentoxy and  $R_{10}$  is pentafluoroethyl;

R<sub>5</sub> is 3-chloro-5-pyridinyloxy and R<sub>10</sub> is pentafluoroethyl;

 $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 1-phenylethoxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 4-nitrophenylthio and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 4-fluorophenoxy and  $R_{10}$  is trifluoromethyl;

10  $R_5$  is 4-methylphenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3-ethylphenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is trifluoromethyl;

15  $R_5$  is 3-t-butylphenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is trifluoromethyl;

R<sub>5</sub> is 3-difluoromethoxyphenoxy and  $R_{10}$  is trifluoromethyl;

R<sub>5</sub> is 3-dimethylaminophenoxy and R<sub>10</sub> is trifluoromethyl;

 $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 4-aminophenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 2-nitrophenoxy and  $R_{10}$  is trifluoromethyl;

 $R_{\mbox{5}}$  is 3-trifluoromethoxybenzyloxy and  $R_{\mbox{10}}$  is trifluoromethyl;

R<sub>5</sub> is 3-trifluoromethylbenzyloxy and R<sub>10</sub> is trifluoromethyl;

 $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is trifluoromethyl;

R5 is cyclohexylmethyleneoxy and R10 is trifluoromethyl;

R<sub>5</sub> is benzyloxy and R<sub>10</sub> is trifluoromethyl;

10

15

 $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is isopropoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is trifluoromethyl;

 $R_5$  is isopropylthio and  $R_{10}$  is trifluoromethyl;

20  $R_5$  is cyclopentoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is trifluoromethyl;

5

 $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is trifluoromethyl; R<sub>5</sub> is 1-phenylethoxy and R<sub>10</sub> is trifluoromethyl;  $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-nitrophenylthio and  $R_{10}$  is trifluoromethyl; 10  $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is trifluoromethoxy; R<sub>5</sub> is 3-trifluoromethoxyphenoxy and R<sub>10</sub> is trifluoromethoxy;  $R_5$  is 4-fluorophenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 4-methylphenoxy and  $R_{10}$  is trifluoromethoxy; 15 R<sub>5</sub> is 2-fluoro-5-bromophenoxy and R<sub>10</sub> is trifluoromethoxy;  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is trifluoromethoxy; R<sub>5</sub> is 3-ethylphenoxy and R<sub>10</sub> is trifluoromethoxy;  $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-t-butylphenoxy and  $R_{10}$  is trifluoromethoxy; 20  $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy) phenoxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is trifluoromethoxy;

R5 is 3-(2-furyl)phenoxy and R10 is trifluoromethoxy;

 $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 4-aminophenoxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is trifluoromethoxy;

R5 is 3-trifluoromethylphenoxy and R10 is trifluoromethoxy;

R<sub>5</sub> is 2-nitrophenoxy and R<sub>10</sub> is trifluoromethoxy;

 $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethoxy;

15 R<sub>5</sub> is 3-trifluoromethylbenzyloxy and R<sub>10</sub> is trifluoromethoxy;

 $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is trifluoromethoxy;

R<sub>5</sub> is cyclohexylmethyleneoxy and R<sub>10</sub> is trifluoromethoxy;

R<sub>5</sub> is benzyloxy and R<sub>10</sub> is trifluoromethoxy;

 $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;

20 R<sub>5</sub> is 4-trifluoromethoxybenzyloxy and R<sub>10</sub> is trifluoromethoxy;

 $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;

R<sub>5</sub> is isopropoxy and R<sub>10</sub> is trifluoromethoxy;

 $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is isopropylthio and  $R_{10}$  is trifluoromethoxy;

R<sub>5</sub> is cyclopentoxy and R<sub>10</sub> is trifluoromethoxy;

 $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;

10  $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is trifluoromethoxy;

R<sub>5</sub> is 1-phenylethoxy and R<sub>10</sub> is trifluoromethoxy;

 $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is trifluoromethoxy;

R<sub>5</sub> is 4-methoxyphenylamino and R<sub>10</sub> is trifluoromethoxy;

15  $R_5$  is 4-nitrophenylthio and  $R_{10}$  is trifluoromethoxy;

20

 $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3-trifluoromethoxyphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-fluorophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-methylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

5

R<sub>5</sub> is 4-chloro-3-ethylphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3-ethylphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3,5-dimethylphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3-t-butylphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 4-fluoro-3-methylphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3,4-dichlorophenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 5,6,7,8-tetrahydro-2-naphthoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3-diffluoromethoxyphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3-dimethylaminophenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3-cyclopropylphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3-(2-furyl)phenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3-pentafluoroethylphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 4-aminophenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3,4,5-trimethylphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 4-propoxyphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3-trifluoromethylphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 2-nitrophenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3-trifluoromethylphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is benzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 4-ethylbenzyloxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is isopropoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

5

20

 $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is isopropylthio and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is cyclopentoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

10  $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 4-isopropylbenzyloxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 1-phenylethoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy; and

 $R_5$  is 4-nitrophenylthio and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy.

(original) 86. A method of treating or preventing a CETP-mediated disorder in a subject by administering a therapeutically effective amount of a compound or a pharmaceutically acceptable salt thereof, said compound being of Formula I:


$$R_{1}$$
 $R_{2}$ 
 $R_{3}$ 
 $R_{13}$ 
 $R_{12}$ 
 $R_{11}$ 
 $R_{11}$ 

or a pharmaceutically acceptable salt thereof, wherein; n is 1 or 2;

 $R_1$  is haloalkyl or haloalkoxyalkyl with the proviso that  $R_1$  is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of three groups bonded to the hydroxy-substituted carbon to which  $R_1$  and  $R_2$  are

## 10 attached in radical Ia:

15



which radical la is a fragment of Formula I;

R<sub>2</sub> is selected from the group consisting of hydrido, aryl, aralkyl, alkyl, alkenyl, alkenyloxyalkyl, haloalkenyl, haloalkenyl, haloalkoxyalkyl, haloalkoxyalkyl, haloalkoxyalkyl, haloalkoxyalkyl,

perhaloaryl, perhaloaryloxyalkyl, heteroaryl, dicyanoalkyl, and carboalkoxycyanoalkyl;

R<sub>3</sub> is selected from the group consisting of hydrido, hydroxy, cyano, aryl, aralkyl, acyl, alkoxy, alkyl, alkenyl, alkoxyalkyl, heteroaryl, alkenyloxyalkyl, haloalkyl, haloalkenyl, haloalkoxy, haloalkoxyalkyl, haloalkenyloxyalkyl, monocyanoalkyl, dicyanoalkyl, carboxamido, and carboxamidoalkyl;

5

R<sub>4</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently selected from the group consisting of hydrido, halo, haloalkyl, and alkyl;

R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, R<sub>10</sub>, R<sub>11</sub>, and R<sub>12</sub> are independently selected from the 10 group consisting of hydrido, perhaloaryloxy, alkanoylalkyl, alkanoylalkoxy, alkanoyloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkoxy, alkoxycarbonylalkenyloxy, aralkanoylalkoxy, aralkenoyl, N-alkylcarboxamido, N-haloalkylcarboxamido, N-cycloalkylcarboxamido, N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, carboxy, heteroaralkylthio, heteroaralkoxy, cycloalkylamino, acylalkyl, acylalkoxy, aroylalkoxy, heterocyclyloxy, aralkylaryl, aralkyl, aralkenyl, aralkynyl, heterocyclyl, haloalkylthio, alkanoyloxy, alkoxy, alkoxyalkyl, cycloalkoxy, cycloalkylalkoxy, hydroxy, 20 amino, thio, nitro, alkylamino, alkylthio, arylamino, aralkylamino, arylthio, arylthioalkyl, alkylsulfonyl, alkylsulfonamido, monoarylamidosulfonyl, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, heterocyclylsulfonyl, heterocyclylthio, alkanoyl, alkenoyl, aroyl, heteroaroyl, aralkanoyl, heteroaralkanoyl, haloalkanoyl, alkyl, alkenyl, alkynyl, alkenyloxy, 25 alkylenedioxy, haloalkylenedioxy, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, hydroxyalkyl, aryl, aryloxy, aralkoxy, saturated heterocyclyl, heteroaryl, heteroaryloxy, heteroaryloxyalkyl, heteroaralkyl, arylalkenyl, carboalkoxy, alkoxycarboxamido, alkylamidocarbonylamido, arylamidocarbonylamido, carboalkoxyalkyl, 30 carboalkoxyalkenyl, carboxamido, carboxamidoalkyl, and cyano;

R<sub>5</sub> and R<sub>6</sub> are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially

saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl are optionally substituted by one or more substituents selected from the group consisting of  $R_{10}$ ,  $R_{11}$ , and  $R_{12}$ ;

R<sub>10</sub> and R<sub>11</sub> are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl is optionally substituted by one or more substituents selected from the group consisting of R<sub>5</sub>, R<sub>6</sub>, and R<sub>7</sub>;

with the proviso that the groups  $R_5$  and  $R_6$  and the groups  $R_{10}$  and  $R_{11}$  are not simultaneously taken together to form two rings;

- with the further proviso that at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido or with the further proviso that at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.
- 20 (original) 87. The method of Claim 86, wherein said compound is of Formula I, wherein at least one of R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, and R<sub>8</sub> that is not hydrido and at least one of R<sub>9</sub>, R<sub>10</sub>, R<sub>11</sub>, R<sub>12</sub>, and R<sub>13</sub> that is not hydrido.
- 25 (original) 88. The method of Claim 87, wherein said compound is of Formula I, wherein;

n is 1 or 2;

5

10

 $R_1$  is haloalkyl or haloalkoxyalkyl with the proviso that  $R_1$  is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of said three groups bonded to the hydroxy-substituted carbon to which  $R_1$  and  $R_2$  are attached in said fragment of the Formula I and with the further proviso that said haloalkyl has two or more halo substituents;

R2 is hydrido;

5

20

R<sub>3</sub> is hydrido;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or halo;

R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, R<sub>10</sub>, R<sub>11</sub>, and R<sub>12</sub> are independently selected from the
group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkenyloxy, aralkanoylalkoxy, aralkanoylalkoxy, aralkanoylalkoxy, aralkenoyl, N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, heteroaralkoxy, heterocyclyloxy, aralkylaryl, aralkyl,
haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylamino, alkylthio, arylamino, arylthio, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, saturated heterocyclyl, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

with the proviso that at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido and with the further proviso that at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.

25 (original) 89. The method of Claim 88, wherein said compound is of Formula I, wherein;

n is 1;

R<sub>1</sub> is selected from the group consisting of trifluoromethyl,

1,1,2,2-tetrafluoroethoxymethyl, trifluoromethoxymethyl, difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R2 is hydrido;

R<sub>3</sub> is hydrido;

5

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or fluoro;

R<sub>5</sub> and R<sub>10</sub> are independently selected from the group consisting of

- 4-aminophenoxy, benzyl, benzyl, benzyloxy, 5-bromo-2-fluorophenoxy,
- 4-bromo-3-fluorophenoxy, 4-bromo-2-nitrophenoxy, 3-bromobenzyloxy,
- 4-bromobenzyloxy, 4-bromophenoxy, 5-bromopyrid-2-yloxy,
- 4-butoxyphenoxy, chloro, 3-chlorobenzyl, 2-chlorophenoxy,
  - 4-chlorophenoxy, 4-chloro-3-ethylphenoxy, 3-chloro-4-fluorobenzyl,
  - 3-chloro-4-fluorophenyl, 3-chloro-2-fluorobenzyloxy, 3-chlorobenzyloxy,
  - 4-chlorobenzyloxy, 4-chloro-3-methylphenoxy, 2-chloro-4-fluorophenoxy,
  - 4-chloro-2-fluorophenoxy, 4-chlorophenoxy, 3-chloro-4-ethylphenoxy,
- 15 3-chloro-4-methylphenoxy, 3-chloro-4-fluorophenoxy,
  - 4-chloro-3-fluorophenoxy, 4-chlorophenylamino, 5-chloropyrid-3-yloxy,
  - 2-cyanopyrid-3-yloxy, 4-cyanophenoxy, cyclobutoxy, cyclobutyl, cyclohexoxy,
  - cyclohexylmethoxy, cyclopentoxy, cyclopentyl, cyclopentylcarbonyl, cyclopropylmethoxy, cyclopropoxy,
- 20 2,3-dichlorophenoxy, 2,4-dichlorophenoxy, 2,4-dichlorophenyl,
  - 3,5-dichlorophenyl, 3,5-dichlorobenzyl, 3,4-dichlorophenoxy,
  - 3,4-difluorophenoxy, 2,3-difluorobenzyloxy, 2,4-difluorobenzyloxy,
  - 3.4-difluorobenzyloxy, 2,5-difluorobenzyloxy, difluoromethoxy,
  - 3,5-difluorophenoxy, 3,4-difluorophenyl, 3,5-difluorobenzyloxy,
- 25 4-difluoromethoxybenzyloxy, 2,3-difluorophenoxy, 2,4-difluorophenoxy,
  - 2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,
  - 3,5-dimethylphenoxy, 3,4-dimethylphenoxy, 3,4-dimethylbenzyl,
  - 3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 2,2-dimethylpropoxy,
  - 1,3-dioxan-2-yl, 1,4-dioxan-2-yl, 1,3-dioxolan-2-yl, ethoxy,
- 4-ethoxyphenoxy, 4-ethylbenzyloxy, 3-ethylphenoxy, 4-ethylaminophenoxy,
  - 3-ethyl-5-methylphenoxy, fluoro, 4-fluoro-3-methylbenzyl,
  - 4-fluoro-3-methylphenyl, 4-fluoro-3-methylbenzoyl, 4-fluorobenzyloxy,
  - 2-fluoro-3-methylphenoxy, 3-fluoro-4-methylphenoxy,

- 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
- 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
- 4-fluoro-2-trifluoromethylbenzyloxy, 4-fluoro-3-trifluoromethylbenzyloxy,
- 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
- 5 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
  - 4-fluoropyrid-2-yloxy, 2-furyl, 3-furyl, heptafluoropropyl,
  - 1,1,1,3,3,3-hexafluoropropyl, 2-hydroxy-3,3,3-trifluoropropoxy,
  - 3-iodobenzyloxy, isobutyl, isobutylamino, isobutoxy, 3-isoxazolyl,
  - 4-isoxazolyl, 5-isoxazolyl, isopropoxy, isopropyl, 4-isopropylbenzyloxy,
- 3-isopropylphenoxy, 4-isopropylphenoxy, isopropylthio,
  - 4-isopropyl-3-methylphenoxy, 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl,
  - 3-methoxybenzyl, 4-methoxycarbonylbutoxy,
  - 3-methoxycarbonylprop-2-enyloxy, 4-methoxyphenyl,
  - 3-methoxyphenylamino, 4-methoxyphenylamino, 3-methylbenzyloxy,
- 4-methylbenzyloxy, 3-methylphenoxy, 3-methyl-4-methylthiophenoxy,
  - 4-methylphenoxy, 1-methylpropoxy, 2-methylpyrid-5-yloxy,
  - 4-methylthiophenoxy, 2-naphthyloxy, 2-nitrophenoxy, 4-nitrophenoxy,
  - 3-nitrophenyl, 4-nitrophenylthio, 2-oxazolyl, 4-oxazolyl, 5-oxazolyl,
  - pentafluoroethyl, pentafluoroethylthio, 2,2,3,3,3-pentafluoropropyl,
- 20 1,1,3,3,3-pentafluoropropyl, 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino,
  - 1-phenylethoxy, phenylsulfonyl, 4-propanoylphenoxy, propoxy,
  - 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, sec-butyl,
  - 4-sec-butylphenoxy,tert-butoxy, 3-tert-butylphenoxy, 4-tert-butylphenoxy,
  - 1,1,2,2-tetrafluoroethoxy, tetrahydrofuran-2-yl,
- 25 2-(5,6,7,8-tetrahydronaphthyloxy), thiazol-2-yl, thiazol-4-yl, thiazol-5-yl,
  - thiophen-2-yl, 2,3,5-trifluorobenzyloxy, 2,2,2-trifluoroethoxy,
  - 2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
  - 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
  - 3-trifluoromethoxyphenoxy, 4-trifluoromethoxyphenoxy, trifluoromethyl,
- 30 3-trifluoromethylbenzyloxy, 4-trifluoromethylbenzyloxy,
  - 2,4-bis-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
  - 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
  - 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy,
  - 3-trifluoromethylphenyl, 3-trifluoromethylthiobenzyloxy,
- 35 4-trifluoromethylthiobenzyloxy, 2,3,4-trifluorophenoxy,
  - 2,3,4-trifluorophenyl, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,

3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,

3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,

3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

R<sub>6</sub> and R<sub>11</sub> are independently selected from the group consisting of chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, trifluoromethyl, and trifluoromethoxy;

 ${
m R}_7$  and  ${
m R}_{12}$  are independently selected from the group consisting of hydrido, fluoro, and trifluoromethyl.

10

(original) 90. The method of Claim 89, wherein said compound is of Formula I, wherein;

n is 1;

R<sub>1</sub> is selected from the group consisting of trifluoromethyl,

difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R<sub>2</sub> is hydrido;

R<sub>3</sub> is hydrido;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or fluoro;

 $R_5$  and  $R_{10}$  are independently selected from the group consisting of

- benzyloxy, 5-bromo-2-fluorophenoxy, 4-bromo-3-fluorophenoxy,
  - 3-bromobenzyloxy, 4-bromophenoxy, 4-butoxyphenoxy, 3-chlorobenzyloxy,
  - 2-chlorophenoxy, 4-chloro-3-ethylphenoxy, 4-chloro-3-methylphenoxy,
  - 2-chloro-4-fluorophenoxy, 4-chloro-2-fluorophenoxy, 4-chlorophenoxy,
  - 3-chloro-4-ethylphenoxy, 3-chloro-4-methylphenoxy,
- 25 3-chloro-4-fluorophenoxy, 4-chloro-3-fluorophenoxy,
  - 4-chlorophenylamino, 5-chloropyrid-3-yloxy, cyclobutoxy, cyclobutyl, cyclohexylmethoxy, cyclopentoxy, cyclopentyl, cyclopentylcarbonyl,
  - cyclopropylmethoxy, 2, 3-dichlorophenoxy, 2, 4-dichlorophenoxy,
  - 2,4-dichlorophenyl, 3,5-dichlorophenyl, 3,5-dichlorobenzyl,
- 30 3,4-dichlorophenoxy, 3,4-difluorophenoxy, 2,3-difluorobenzyloxy,
  - 3, 5- difluor obenzyloxy, difluor omethoxy, 3, 5- difluor ophenoxy,

- 3,4-difluorophenyl, 2,3-difluorophenoxy, 2,4-difluorophenoxy,
- 2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,
- 3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 3,5-dimethylphenoxy,
- 3,4-dimethylphenoxy, 1,3-dioxolan-2-yl, 4-ethylbenzyloxy,
- 5 3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy,
  - 4-fluoro-3-methylbenzyl, 4-fluorobenzyloxy, 2-fluoro-3-methylphenoxy,
  - 3-fluoro-4-methylphenoxy, 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
  - 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
  - 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
- 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
  - 2-furyl, 3-furyl, heptafluoropropyl, 1,1,1,3,3,3-hexafluoropropyl,
  - 2-hydroxy-3,3,3-trifluoropropoxy, isobutoxy, isobutyl, 3-isoxazolyl,
  - 4-isoxazolyl, 5-isoxazolyl, isopropoxy, 4-isopropylbenzyloxy,
  - 3-isopropylphenoxy, isopropylthio, 4-isopropyl-3-methylphenoxy,
- 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl, 3-methoxybenzyl,
  - 4-methoxyphenylamino, 3-methylbenzyloxy, 4-methylbenxyloxy,
  - 3-methylphenoxy, 3-methyl-4-methylthiophenoxy, 4-methylphenoxy,
  - 1-methylpropoxy, 2-methylpyrid-5-yloxy, 4-methylthiophenoxy,
  - 2-naphthyloxy, 2-nitrophenoxy, 4-nitrophenoxy, 3-nitrophenyl, 2-oxazolyl,
- 20 4-oxazolyl, 5-oxazolyl, pentafluoroethyl, pentafluoroethylthio,
  - 2,23,3,3-pentafluoropropyl, 1,1,3,3,3-pentafluoropropyl,
  - 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino, 1-phenylethoxy,
  - 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, tert-butoxy,
  - 3-tert-butylphenoxy, 4-tert-butylphenoxy, 1,1,2,2-tetrafluoroethoxy,
- 25 tetrahydrofuran-2-yl, 2-(5,6,7,8-tetrahydronaphthyloxy), thiazol-2-yl,
  - thiazol-4-yl, thiazol-5-yl, thiophen-2-yl, 2,2,2-trifluoroethoxy,
  - 2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
  - 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
  - 4-trifluoromethoxyphenoxy, 3-trifluoromethoxyphenoxy, trifluoromethyl,
- 30 3-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
  - 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
  - 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy, 3-trifluoromethylphenyl,
  - 2,3,4-trifluorophenoxy, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,
  - 3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,
- 35 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,
  - 3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

R<sub>6</sub> and R<sub>11</sub> are independently selected from the group consisting of chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, and trifluoromethyl;

R<sub>7</sub> and R<sub>12</sub> are independently selected from the group consisting of 5 hydrido, fluoro, and trifluoromethyl.

(original) 91. The method of Claim 88, wherein said compound is of Formula II:

10

wherein;

R<sub>1</sub> is haloalkyl;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or halo;

R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, R<sub>10</sub>, R<sub>11</sub>, and R<sub>12</sub> are independently selected from the

- group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, 15 heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, aralkanoylalkoxy, aralkenoyl, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, heteroaralkoxy, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylthio, arylamino, arylthio, arylsulfonyl, aroyl, alkyl, cycloalkyl,
- cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, 20

hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

with the proviso that at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido and with the further proviso that at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.

(original) 92. The method of Claim 91, wherein said compound is of Formula II, wherein;

10 R<sub>1</sub> is trifluoromethyl;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or fluoro;

R<sub>5</sub> is selected from the group consisting of 5-bromo-2-fluorophenoxy,

- 4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,
- 3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,
- 15 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,
  - $\hbox{$4$-fluorophenoxy, $3$-isopropylphenoxy, $3$-methylphenoxy,}\\$
  - 3-pentafluoroethylphenoxy, 3-tert -butylphenoxy,
  - 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyloxy),
  - 3-trifluoromethoxybenzyloxy,3-trifluoromethoxyphenoxy,
- 20 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R<sub>10</sub> is selected from the group consisting of cyclopentyl, 1,1,2,2-tetrafluoroethoxy, 2-furyl, 1,1-bis-trifluoromethyl-1-hydroxymethyl, pentafluoroethyl, trifluoromethoxy, trifluoromethyl, and trifluoromethylthio;

R<sub>6</sub>, R<sub>7</sub>, R<sub>11</sub>, and R<sub>12</sub> are independently hydrido or fluoro.

25

(original) 93. The method of Claim 92, wherein said compound is of Formula II, wherein;

R<sub>1</sub> is trifluoromethyl;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or fluoro;

R<sub>5</sub> is selected from the group consisting of 5-bromo-2-fluorophenoxy,

- 4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,
- 3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,
- 5 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,
  - 4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,
    - 3-pentafluoroethylphenoxy, 3-tert -butylphenoxy,
    - 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyloxy),
    - 3-trifluoromethoxybenzyloxy,3-trifluoromethoxyphenoxy,
- 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R<sub>10</sub> is selected from the group consisting of 1,1,2,2-tetrafluoroethoxy, pentafluoroethyl, and trifluoromethyl;

R<sub>6</sub>, R<sub>7</sub>, R<sub>11</sub>, and R<sub>12</sub> are independently hydrido or fluoro.

(original) 94. The method of Claim 86, wherein said compound is a compound of Formula III:

$$F_3C$$
 $R_{10}$ 
 $R_{10}$ 
 $R_{10}$ 

wherein  $R_5$  and  $R_{10}$  are selected to form a compound selected from the group consisting of;

 $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is pentafluoroethyl;

R<sub>5</sub> is 2,3-dichlorophenoxy and R<sub>10</sub> is pentafluoroethyl;

 $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-fluorophenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-methylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-ethylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-t-butylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-aminophenoxy and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is pentafluoroethyl; 20  $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is pentafluoroethyl;

10

R<sub>5</sub> is 2-nitrophenoxy and R<sub>10</sub> is pentafluoroethyl;

 $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is benzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

R<sub>5</sub> is 4-trifluoromethoxybenzyloxy and R<sub>10</sub> is pentafluoroethyl;

 $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

10  $R_5$  is isopropoxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is isopropylthio and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is cyclopentoxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is pentafluoroethyl;

R<sub>5</sub> is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is pentafluoroethyl;

R<sub>5</sub> is 3,4-dimethylbenzyloxy and R<sub>10</sub> is pentafluoroethyl;

 $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

 $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

20 R<sub>5</sub> is 1-phenylethoxy and R<sub>10</sub> is pentafluoroethyl;

R<sub>5</sub> is 4-fluoro-3-methylbenzoyl and R<sub>10</sub> is pentafluoroethyl;

 $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 4-nitrophenylthio and  $R_{10}$  is pentafluoroethyl;  $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-fluorophenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-methylphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-ethylphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-t-butylphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy) phenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is trifluoromethyl;

10

15

20

 $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 4-aminophenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 2-nitrophenoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is trifluoromethyl;

10  $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is benzyloxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;

R<sub>5</sub> is 4-trifluoromethoxybenzyloxy and R<sub>10</sub> is trifluoromethyl;

 $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is trifluoromethyl;

15  $R_5$  is isopropoxy and  $R_{10}$  is trifluoromethyl;

20

 $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is trifluoromethyl;

 $R_5$  is isopropylthio and  $R_{10}$  is trifluoromethyl;

 $R_5$  is cyclopentoxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is trifluoromethyl;

 $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is trifluoromethyl;  $R_5$  is 1-phenylethoxy and  $R_{10}$  is trifluoromethyl; R<sub>5</sub> is 4-fluoro-3-methylbenzoyl and R<sub>10</sub> is trifluoromethyl;  $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is trifluoromethyl;  $R_5$  is 4-nitrophenylthio and  $R_{10}$  is trifluoromethyl;  $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 4-fluorophenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 4-methylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-ethylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-t-butylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is trifluoromethoxy;

10

15

20

5

10

15

20

 $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is trifluoromethoxy; R<sub>5</sub> is 4-aminophenoxy and R<sub>10</sub> is trifluoromethoxy;  $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 2-nitrophenoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is benzyloxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;  $R_5$  is isopropoxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is isopropylthio and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is cyclopentoxy and  $R_{10}$  is trifluoromethoxy;

5

 $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 1-phenylethoxy and  $R_{10}$  is trifluoromethoxy;

R<sub>5</sub> is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 4-nitrophenylthio and  $R_{10}$  is trifluoromethoxy;

 $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 2,3-dichlorophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-fluorophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-methylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

20  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-ethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-t-butylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 4-fluoro-3-methylphenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

10  $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 4-aminophenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

15  $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 2-nitrophenoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

20

 $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is benzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is isopropoxy and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy;

5  $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is isopropylthio and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is cyclopentoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 3,4-dimethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 4-isopropylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 1-phenylethoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

 $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

R<sub>5</sub> is 4-methoxyphenylamino and R<sub>10</sub> is 1,1,2,2-tetrafluoroethoxy; and

 $R_5$  is 4-nitrophenylthio and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy.

20

(original) 95. The method of Claim 86 further characterized by treating coronary artery disease in a subject by administering a therapeutically effective

amount of a compound of Claim 86 or a pharmaceutically acceptable salt thereof.

- 5 (original) 96. The method of Claim 86 further characterized by preventing coronary artery disease in a subject by administering a therapeutically effective amount of a compound of Claim 86 or a pharmaceutically acceptable salt thereof.
- (original) 97. The method of Claim 86 further characterized by preventing cerebral vascular accident (CVA) in a subject by administering a therapeutically effective amount of a compound of Claim 86 or a pharmaceutically acceptable salt thereof.

15

20

(original) 98. The method of Claim 86 further characterized by treating or preventing dyslipidemia in a subject by administering a therapeutically effective amount of a compound of Claim 86 or a pharmaceutically acceptable salt thereof.